

Annual Notification of AHERA Activities

Buena Regional High School

Date: July 21, 2025

To: All School District Employees, Parents, Students

From: Jeremy Warburton- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the Buena Regional High School

The following activities took place between July 1, 2024 and June 30, 2025 fulfilling the Buena Regional School District's requirements under *40 CFR 763 (AHERA)*.

- A Six-Month Periodic Surveillance inspection was performed October 2024.
- A Six-Month Periodic Surveillance inspection was performed April 2025.
- A 3-Year AHERA Re-Inspection is scheduled for October 2025.
- A Six-Month Periodic Surveillance inspection is scheduled for April 2026.
- Asbestos removal was performed in July 2024.
- The district currently has no plans to remove asbestos containing materials during the 2025-2026 school year.
- No repair of damaged asbestos containing materials was performed during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Jeremy Warburton at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Milanese Elementary School

Date: July 21, 2025

To: All School District Employees, Parents, Students

From: Jeremy Warburton- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the Milanese Elementary School

The following activities took place between July 1, 2024 and June 30, 2025 fulfilling the Buena Regional School District's requirements under *40 CFR 763 (AHERA)*.

- A Six-Month Periodic Surveillance inspection was performed October 2024.
- A Six-Month Periodic Surveillance inspection was performed April 2025.
- A 3-Year AHERA Re-Inspection is scheduled for October 2025.
- A Six-Month Periodic Surveillance inspection is scheduled for April 2026.
- The district did not remove any asbestos materials during the 2024-2025 school year.
- The district currently has no plans to remove asbestos containing materials during the 2025-2026 school year.
- No repair of damaged asbestos containing materials was performed during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Jeremy Warburton at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Collings Lakes Elementary School

Date: July 21, 2025

To: All School District Employees, Parents, Students

From: Jeremy Warburton- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Collings Lakes Elementary School

The following activities took place between July 1, 2024 and June 30, 2025 fulfilling the Buena Regional School District's requirements under 40 CFR 763 (AHERA).

- **A Six-Month Periodic Surveillance inspection was performed October 2024.**
- **A Six-Month Periodic Surveillance inspection was performed April 2025.**
- **A 3-Year AHERA Re-Inspection is scheduled for October 2025.**
- **A Six-Month Periodic Surveillance inspection is scheduled for April 2026.**
- **The district did not remove any asbestos materials during the 2024-2025 school year.**
- **The district currently has no plans to remove asbestos containing materials during the 2025-2026 school year.**
- **No repair of damaged asbestos containing materials was performed during the above period.**
- **No major or minor fiber release episodes were recorded during the above period.**

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Jeremy Warburton at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Buena BOE Administration Building

Date: July 21, 2025

To: All School District Employees, Parents, Students

From: Jeremy Warburton- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Buena BOE Administration Building

The following activities took place between July 1, 2024 and June 30, 2025 fulfilling the Buena Regional School District's requirements under *40 CFR 763 (AHERA)*.

- A Six-Month Periodic Surveillance inspection was performed October 2024.
- A Six-Month Periodic Surveillance inspection was performed April 2025.
- A 3-Year AHERA Re-Inspection is scheduled for October 2025.
- A Six-Month Periodic Surveillance inspection is scheduled for April 2026.
- The district did not remove any asbestos materials during the 2024-2025 school year.
- The district currently has no plans to remove asbestos containing materials during the 2025-2026 school year.
- No repair of damaged asbestos containing materials was performed during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Jeremy Warburton at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Cleary Elementary School

July 21, 2025

To: All School District Employees, Parents, Students

From: Jeremy Warburton- AHERA Program Manager

**Subject: Annual Notification of AHERA Activities for the
Cleary Elementary School**

Based on construction documents and AHERA reports, there are no known asbestos containing materials in the building.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Jeremy Warburton at 856-697-2400 x 8252.