

Annual Notification of AHERA Activities

Buena Regional High School

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Raymond Marable - AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Buena Regional High School

The following activities took place between July 1, 2025 and June 30, 2026 fulfilling the Buena Regional School District's requirements under 40 CFR 763 (AHERA).

- **A Three-Year AHERA Re-Inspection was completed in October 2025.**
- **A Six-Month Periodic Surveillance inspection was performed April 2026.**
- **A Six-Month Periodic Surveillance inspection is scheduled for October 2026.**
- **A Six-Month Periodic Surveillance inspection is scheduled for April 2027.**
- **Suspect asbestos-containing building materials were sampled in January 2026.**
- **No asbestos removal was performed during the 2025-2026 school year.**
- **The district currently has no plans to remove asbestos containing materials during the 2026-2027 school year.**
- **No repair of damaged asbestos containing materials was performed during the above period.**
- **No major or minor fiber release episodes were recorded during the above period.**

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Raymond Marable at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Milanese Elementary School

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Raymond Marable- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Milanese Elementary School

The following activities took place between July 1, 2025 and June 30, 2026 fulfilling the Buena Regional School District's requirements under 40 CFR 763 (AHERA).

- **A Three-Year AHERA Re-Inspection was completed in October 2025.**
- **A Six-Month Periodic Surveillance inspection was performed April 2026.**
- **A Six-Month Periodic Surveillance inspection is scheduled for October 2026.**
- **A Six-Month Periodic Surveillance inspection is scheduled for April 2027.**
- **No asbestos removal was performed during the 2025-2026 school year.**
- **The district currently has no plans to remove asbestos containing materials during the 2026-2027 school year.**
- **No repair of damaged asbestos containing materials was performed during the above period.**
- **No major or minor fiber release episodes were recorded during the above period.**

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Raymond Marable at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Collings Lakes Elementary School

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Raymond Marable- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Collings Lakes Elementary School

The following activities took place between July 1, 2025 and June 30, 2026 fulfilling the Buena Regional School District's requirements under *40 CFR 763 (AHERA)*.

- A Three-Year AHERA Re-Inspection was completed in October 2025.
- A Six-Month Periodic Surveillance inspection was performed April 2026.
- A Six-Month Periodic Surveillance inspection is scheduled for October 2026.
- A Six-Month Periodic Surveillance inspection is scheduled for April 2027.
- No asbestos removal was performed during the 2025-2026 school year.
- The district currently has no plans to remove asbestos containing materials during the 2026-2027 school year.
- No repair of damaged asbestos containing materials was performed during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Raymond Marable at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Buena BOE Administration Building

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Raymond Marable- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Buena BOE Administration Building

The following activities took place between July 1, 2025 and June 30, 2026 fulfilling the Buena Regional School District's requirements under *40 CFR 763 (AHERA)*.

- A Three-Year AHERA Re-Inspection was completed in October 2025.
- A Six-Month Periodic Surveillance inspection was performed April 2026.
- A Six-Month Periodic Surveillance inspection is scheduled for October 2026.
- A Six-Month Periodic Surveillance inspection is scheduled for April 2027.
- No asbestos removal was performed during the 2025-2026 school year.
- The district currently has no plans to remove asbestos containing materials during the 2026-2027 school year.
- No repair of damaged asbestos containing materials was performed during the above period.
- No major or minor fiber release episodes were recorded during the above period.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Raymond Marable at 856-697-2400 x 8252.

Annual Notification of AHERA Activities

Cleary Elementary School

Date: August 3, 2026

To: All School District Employees, Parents, Students

From: Raymond Marable- AHERA Program Manager

Subject: Annual Notification of AHERA Activities for the
Cleary Elementary School

Based on construction documents and AHERA reports, there are no known asbestos containing materials in the building.

Should you have any questions regarding the information included in this notification, or wish to review the school's Asbestos Management Plan, please contact Raymond Marable at 856-697-2400 x 8252.